

Wrist Pin Diameter

Pin End Width

TOP VIEW

Center to Center Length

Big End Diameter

Big End Width

CONNECTING ROD

Centre to Centre


Wrist Pin Diameter

Big End Bore

R&R

RACING PRODUCTS

Aluminum Connecting Rods - Oil Pumps



CHEVROLET

PARTS CATALOG

BB CHEVY



NOTES:


Part #	Description	Center to Center (IN)	Center to Center (MM)	Style	Bolt Size	Bolt Type	Pin Width (IN)	Pin Width (MM)	Big Width (IN)	Big Width (MM)	Big Bore (IN)	Big Bore (MM)	Total/Rotate/Recip / Weight (gr)	Pin Size	Cyl
A6135JULES	BBC 6.135	6.135	155.83	I BEAM	7/16"	R&R2000 / L19	1.195	30.35	0.985	25.02	2.325	59.06	625 / 447 / 178	0.990	8
A6375JULES	BBC 6.375	6.375	161.93	I BEAM	7/16"	R&R2000 / L19	1.195	30.35	0.985	25.02	2.325	59.06	631 / 450 / 181	0.990	8
A6525JULES	BBC 6.525	6.525	165.74	I BEAM	7/16"	R&R2000 / L19	1.195	30.35	0.985	25.02	2.325	59.06	642 / 455 / 187	0.990	8
A6375NOS	BBC 6.375	6.375	161.93	I BEAM	7/16"	R&R2000 / L19	1.215	30.86	0.985	25.02	2.325	59.06	663 / 454 / 209	0.990	8
A5625NOS	BBC 6.525	6.525	165.74	I BEAM	7/16"	R&R2000 / L19	1.215	30.86	0.985	25.02	2.325	59.06	678 / 465 / 213	0.990	8
A6690NOS	BBC 6.690	6.690	169.93	I BEAM	7/16"	R&R2000 / L19	1.215	30.86	0.985	25.02	2.325	59.06	684 / 465 / 219	0.990	8
A6790NOS	BBC 6.790	6.790	172.47	I BEAM	7/16"	R&R2000 / L19	1.215	30.86	0.985	25.02	2.325	59.06	693 / 410 / 283	0.990	8
A7060NOS	BBC 7.060	7.060	179.32	I BEAM	7/16"	R&R2000 / L19	1.215	30.86	0.985	25.02	2.325	59.06	699 / 472 / 227	0.990	8
A7285JULES	BBC 7.285	7.285	185.04	I BEAM	7/16"	R&R2000 / L19	1.195	30.35	0.985	25.02	2.325	59.06	679 / 472 / 207	0.990	8
Q6695NOS	BBC 6.695	6.695	170.05	I BEAM	7/16"	R&R2000 / L19	1.215	30.86	0.985	25.02	2.225	56.52	701 / 483 / 218	0.990	8
Q7350JULES	BBC 7.350	7.350	186.69	I BEAM	7/16"	R&R2000 / L19	1.185	30.10	0.985	25.02	2.225	56.52	697 / 489 / 208	0.990	8
D6600WNARROWPIN	BBC 6.600	6.600	167.64	I BEAM	7/16"	R&R L19	1.250	31.75	0.985	25.02	2.325	59.06	725 / 518 / 207	1.094	8
D6800W	BBC 6.800	6.800	172.72	I BEAM	7/16"	R&R L19	1.325	33.66	0.985	25.02	2.325	59.06	742 / 524 / 218	1.094	8
D6700WSOLID	BBC 6.700	6.700	170.18	SOLID	7/16"	R&R L19	1.325	33.66	0.985	25.02	2.325	59.06	813 / 557 / 256	1.094	8

SB CHEVY



NOTES:

Part #	Description	Center to Center (IN)	Center to Center (MM)	Style	Bolt Size	Bolt Type	Pin Width (IN)	Pin Width (MM)	Big Width (IN)	Big Width (MM)	Big Bore (IN)	Big Bore (MM)	Total/Rotate/Recip / Weight (gr)	Pin Size	Cyl
B5690M	LJ SBC	5.690	144.53	I BEAM	7/16"	8740 / L19	1.104	28.04	0.938	23.81	2.225	56.52	520 / 381 / 139	0.927	8
B5690SOLID927	LJ SBC	5.690	144.53	SOLID	7/16"	8740 / L19	1.104	28.04	0.938	23.83	2.225	56.52	602 / 416 / 186	0.927	8
E5850M927PIN	SJ SBC	5.850	148.59	I BEAM	7/16"	8740 / L19	1.104	28.04	0.938	23.83	2.125	53.98	508 / 374 / 134	0.927	8
B5982HSOLID927PIN	SBC HONDA JOURNAL	5.982	151.94	SOLID	7/16"	8740 / L19	1.060	26.92	0.938	23.83	2.015	51.18	606 / 419 / 187	0.927	8
B6250H	SBC HONDA JOURNAL	6.250	158.75	I BEAM	7/16"	8740 / L19	1.060	26.92	0.938	23.83	2.015	51.18	543 / 388 / 155	0.927	8




CHEVROLET

CHEVY LS



NOTES:

Part #	Description	Center to Center (IN)	Center to Center (MM)	Style	Bolt Size	Bolt Type	Pin Width (IN)	Pin Width (MM)	Big Width (IN)	Big Width (MM)	Big Bore (IN)	Big Bore (MM)	Total/Rotate/Recip / Weight (gr)	Pin Size	Cyl
LS6115M	LS	6.115	155.32	I BEAM	7/16"	8740 / L19	1.039	26.39	0.939	23.85	2.225	56.52	561 / 400 / 161	0.927	8
LSSJ6115SOLID927PIN	LS SMALL JOURNAL	6.115	155.32	SOLID	7/16"	8740 / L19	1.039	26.39	0.939	23.85	2.125	53.98	636 / 435 / 201	0.927	8
LS6115SOLID927	LS	6.115	155.32	SOLID	7/16"	8740 / L19	1.039	26.39	0.939	23.85	2.225	56.52	624 / 424 / 200	0.927	8



CHEVROLET



6601 TAYLOR ROAD UNIT A
PUNTA GORDA, FL. 33950

1-941-621-8143

EMAIL: Info@rrconnectingrods.com

WEBSITE: www.rrconnectingrods.com