

R&R **RACING PRODUCTS** **Aluminum Connecting Rods - Oil Pumps**



RACING

PRODUCTS LIST



FORD



NOTES:

Part #	Description	Center to Center (IN)	Center to Center (MM)	Style	Bolt Size	Bolt Type	Pin Width (IN)	Pin Width (MM)	Big Width (IN)	Big Width (MM)	Big Bore (IN)	Big Bore (MM)	Total/Rotate/Recip / Weight (gr)	Pin Size	Cyl
B5960FORDSOLID927	SMALL BLOCK	5.960	151.38	SOLID	7/16"	8740 / L19	1.062	26.97	0.938	23.83	2.225	56.52	610 / 419 / 191	0.927	8
FORD60DYNDIESEL	6.0 POWERSTROKE	7.077	179.76	SOLID	3/8"	L19	1.082	27.48	1.082	27.48	2.500	63.50	875 / 578 / 297	1.156	8
FORD2895400SOLID	289	5.400	137.16	SOLID	3/8"	R&R2000 / L19	1.078	27.38	0.830	21.08	2.239	56.87	516 / 355 / 161	0.927	8
FORDWINDSOR5385SOLID	351 WINDSOR	5.385	136.78	SOLID	3/8"	R&R2000 / L19	1.078	27.38	0.830	21.08	2.225	56.52	517 / 357 / 160	0.927	8
FORDDURATEC5905	DURATEC	5.905	149.99	SOLID	3/8"	R&R2000 / L19	0.866	22.00	0.866	22.00	2.167	55.04	467 / 328 / 139	22mm	4
FORD30SHOSTOCK	3.0 LITRE SHO	5.765	146.43	SOLID	3/8"	R&R2000 / L19	0.895	22.73	0.895	22.73	2.166	55.02	531 / 381 / 150	21mm	6
FORDFOCUSZX3	FOCUS ZX3	5.629	142.98	SOLID	3/8"	R&R2000 / L19	0.947	24.05	0.947	24.05	1.965	49.91	524 / 358 / 166	20mm	4
FORDYBCOSWORTH5197	YB COSWORTH	5.197	132.00	I BEAM	3/8"	R&R2000 / L19	1.018	25.86	1.018	25.86	2.166	55.02	433 / 316 / 127	24mm	4
N6700JULES	BIG BLOCK	6.700	170.18	I BEAM	7/16"	R&R2000 / L19	1.193	30.30	0.985	25.02	2.325	59.06		0.990	8
FORD30VULCANV6	3.0 LITRE VULCAN	5.521	140.23	I BEAM	3/8"	R&R2000 / L19	0.853	21.67	0.853	21.67	2.250	57.15	411 / 307 / 104	0.912	6
FORDPINTO5708	PINTO 2.0 LITRE	5.708	144.98	I BEAM	3/8"	R&R2000 / L19	1.019	25.88	1.019	25.88	2.166	55.02	468 / 349 / 119	22mm	4
B6200MFWP927PIN	SMALL BLOCK	6.200	157.48	I BEAM	7/16"	R&R2000 / L19	1.150	29.21	0.938	23.83	2.225	56.52	551 / 391 / 160	0.927	8
E5400MF	SMALL BLOCK SMALL JOURNAL	5.400	137.16	I BEAM	7/16"	8740 / L19	1.062	26.97	0.938	23.83	2.125	53.98	492 / 369 / 123	0.927	8
FORD4606595NOS990	460	6.595	167.51	I BEAM	7/16"	L19	1.198	30.43	0.990	25.15	2.653	67.39	725 / 512 / 213	0.990	8
ND7875MW	BIG BLOCK	7.875	200.03	I BEAM	7/16"	L19 / CA 625	1.193	30.30	0.990	25.15	2.325	59.06	756 / 539 / 217	0.990	8
FORD54MOD	5.4 MOD	6.647	168.83	I BEAM	3/8"	R&R2000 / L19	1.000	25.40	0.935	23.75	2.239	56.87	528 / 367 / 161	22mm	8
EN7180NOS	BIG BLOCK SB SJ BRG	7.180	182.37	I BEAM	7/16"	R&R2000 / L19	1.193	30.30	0.985	25.02	2.125	53.98	725 / 500 / 225	0.990	8


FORD



NOTES:

CONTINUED

Part #	Description	Center to Center (IN)	Center to Center (MM)	Style	Bolt Size	Bolt Type	Pin Width (IN)	Pin Width (MM)	Big Width (IN)	Big Width (MM)	Big Bore (IN)	Big Bore (MM)	Total/Rotate/Recip / Weight (gr)	Pin Size	Cyl
FORD37DOHC	3.7 LITRE	6.002	152.45	I BEAM	3/8"	R&R2000 / L19	0.852	21.64	0.852	21.64	2.357	59.87	518 / 364 / 154	23mm	6
FORD400MW	400	6.570	166.88	I BEAM	3/8"	L19	1.000	25.40	0.880	22.35	2.436	61.87	495 / 361 / 134	0.927	8
FORD40SOHC	4.0 LITRE	5.900	149.86	I BEAM	3/8"	R&R2000 / L19	0.808	20.52	0.808	20.52	2.237	56.82		22mm	6





6601 TAYLOR ROAD UNIT A
PUNTA GORDA, FL. 33950

1-941-621-8143

EMAIL: Info@rrconnectingrods.com

WEBSITE: www.rrconnectingrods.com